


## Hex Socket Head Cap Screws Heat Treated Alloy Steel

Length	Quantity	Wgt/M	Plain	Zinc	Length												
	6-32				8-32				10-24				1/4-20				
7/8	-	-	-	-	-	-	-	-	-	-	-	-	2,500	16.00	x	-	7/8
1 1/4	2,500	5.31	x	-	2,500	7.67	x	-	-	-	-	-	-	-	-	-	1 1/4
1 1/2	2,500	6.04	x	-	-	-	-	-	-	-	-	-	-	-	-	-	1 1/2
1 3/4	-	-	-	-	2,500	8.83	x	-	-	-	-	-	-	-	-	-	1 3/4
2 1/4	-	-	-	-	-	-	-	-	-	-	-	-	1,200	35.00	x	-	2 1/4
2 1/2	-	-	-	-	-	-	-	-	2,000	20.15	x	-	1,000	38.00	x	-	2 1/2
3	-	-	-	-	-	-	-	-	1,500	24.00	x	-	800	42.00	x	-	3
3 1/2	-	-	-	-	-	-	-	-	-	-	-	-	700	47.00	x	-	3 1/2
4	-	-	-	-	-	-	-	-	-	-	-	-	600	59.00	x	-	4

Length	Quantity	Wgt/M	Plain	Zinc	Quantity	Wgt/M	Plain	Zinc	Quantity	Wgt/M	Plain	Zinc	Quantity	Wgt/M	Plain	Zinc	Length
	5/16-18				3/8-16				7/16-14				1/2-13				
1/2	-	-	-	-	1,300	38.00	x	-	-	-	-	-	-	-	-	-	1/2
5/8	-	-	-	-	-	-	-	-	-	-	-	-	500	80.00	x	-	5/8
1	-	-	-	-	-	-	-	-	600	63.12	x	-	-	-	-	-	1
1 1/4	-	-	-	-	-	-	-	-	500	70.64	x	-	400	118.00	x	-	1 1/4
1 1/2	-	-	-	-	-	-	-	-	500	78.88	x	-	-	-	-	-	1 1/2
1 3/4	-	-	-	-	-	-	-	-	450	87.54	x	-	-	-	-	-	1 3/4
2	-	-	-	-	-	-	-	-	350	100.20	x	-	300	153.00	x	-	2
2 1/4	800	54.00	x	-	500	87.00	x	-	-	-	-	-	-	-	-	-	2 1/4
2 1/2	700	60.00	x	-	500	92.00	x	-	250	120.11	x	-	240	176.00	x	-	2 1/2
3	500	69.00	x	-	400	105.00	x	-	-	-	-	-	200	203.00	x	-	3
3 1/2	400	79.00	x	-	350	118.00	x	-	-	-	-	-	180	225.00	x	-	3 1/2
4	300	92.00	x	-	300	133.00	x	-	-	-	-	-	150	250.00	x	-	4
4 1/2	-	-	-	-	-	-	-	-	-	-	-	-	150	280.00	x	-	4 1/2
5	-	-	-	-	250	170.00	x	-	-	-	-	-	120	310.00	x	-	5
5 1/2	-	-	-	-	220	178.00	x	-	-	-	-	-	-	-	-	-	5 1/2
6	-	-	-	-	-	-	-	-	-	-	-	-	100	360.00	x	-	6


Length	Quantity	Wgt/M	Plain	Zinc	Quantity	Wgt/M	Plain	Zinc	Quantity	Wgt/M	Plain	Zinc	Quantity	Wgt/M	Plain	Zinc	Length
	5/8-11				3/4-10				7/8-9				1-8				
1	250	156.00	x	-	-	-	-	-	-	-	-	-	-	-	-	-	1
1 1/4	-	-	-	-	140	281.24	x	-	-	-	-	-	-	-	-	-	1 1/4
1 1/2	200	191.00	x	-	130	305.00	x	-	80	456.35	x	-	-	-	-	-	1 1/2
1 3/4	-	-	-	-	120	337.00	x	-	-	-	-	-	-	-	-	-	1 3/4
2	180	227.00	x	-	100	366.00	x	-	80	528.00	x	-	50	772.00	x	-	2
2 1/2	150	278.00	x	-	100	412.00	x	-	70	602.00	x	-	45	866.00	x	-	2 1/2
3	130	297.00	x	-	80	478.00	x	-	60	682.00	x	-	45	955.00	x	-	3
3 1/2	100	344.00	x	-	70	523.00	x	-	50	756.00	x	-	40	1053.00	x	-	3 1/2
4	100	391.00	x	-	70	604.00	x	-	50	832.00	x	-	35	1170.00	x	-	4
4 1/2	-	-	-	-	-	-	-	-	-	-	-	-	30	1283.00	x	-	4 1/2
5	80	476.00	x	-	-	-	-	-	-	-	-	-	-	-	-	-	5
6	70	555.00	x	-	-	-	-	-	-	-	-	-	-	-	-	-	6



## Hex Socket Button Head Cap Screws Heat Treated Alloy Steel

Length	Quantity	Wgt/M	Plain	Zinc	Length												
	6-32				8-32				10-24				10-32				
¼	2,500	2.00	x	-	2,500	3.00	x	-	2,500	4.00	x	-	2,500	4.00	x	-	¼
⅜	2,500	2.50	x	-	2,500	3.50	x	-	2,500	4.50	x	-	2,500	4.50	x	-	⅜
½	2,500	3.00	x	-	2,500	4.00	x	-	2,500	5.00	x	-	2,500	5.00	x	-	½
⅝	2,500	3.00	x	-	2,500	5.00	x	-	2,500	6.00	x	-	2,500	6.00	x	-	⅝
¾	-	-	-	-	2,500	5.00	x	-	2,500	7.00	x	-	2,500	7.00	x	-	¾
1	-	-	-	-	-	-	-	-	2,500	8.00	x	-	2,500	8.20	x	-	1


Length	Quantity	Wgt/M	Plain	Zinc	Quantity	Wgt/M	Plain	Zinc	Quantity	Wgt/M	Plain	Zinc	Quantity	Wgt/M	Plain	Zinc	Length
	1/4-20				5/16-18				3/8-16				1/2-13				
⅜	2,500	8.00	x	-	2,000	12.00	x	-	-	-	-	-	-	-	-	-	⅜
½	2,500	8.40	x	-	2,000	14.00	x	-	1,250	23.00	x	-	-	-	-	-	½
⅝	2,500	9.00	x	-	-	-	-	-	-	-	-	-	-	-	-	-	⅝
¾	2,500	11.00	x	-	1,600	18.00	x	-	1,000	26.00	x	-	-	-	-	-	¾
1	2,500	14.00	x	-	1,250	22.00	x	-	1,000	33.00	x	-	500	71.00	x	-	1
1 ¼	-	-	-	-	-	-	-	-	800	40.00	x	-	500	80.00	x	-	1 ¼
1 ½	-	-	-	-	-	-	-	-	-	-	-	-	400	92.00	x	-	1 ½
2	-	-	-	-	-	-	-	-	-	-	-	-	400	108.00	x	-	2



## Hex Socket Flat Head Cap Screws Heat Treated Alloy Steel

Length	Quantity	Wgt/M	Plain	Zinc	Length												
	6-32				8-32				10-24				10-32				
¼	2,500	1.40	x	-	-	-	-	-	-	-	-	-	-	-	-	-	¼
⅜	2,500	1.80	x	-	2,500	2.70	x	-	2,500	3.70	x	-	2,500	3.70	x	-	⅜
½	2,500	2.30	x	-	2,500	3.10	x	-	2,500	4.70	x	-	2,500	4.70	x	-	½
⅝	2,500	2.50	x	-	2,500	3.30	x	-	2,500	5.30	x	-	-	-	-	-	⅝
¾	2,500	3.10	x	-	2,500	3.90	x	-	2,500	6.60	x	-	2,500	6.60	x	-	¾
1	-	-	-	-	2,500	4.40	x	-	2,500	7.80	x	-	2,500	7.80	x	-	1
1 ¼	-	-	-	-	-	-	-	-	2,500	10.00	x	-	2,500	9.00	x	-	1 ¼
1 ½	-	-	-	-	-	-	-	-	2,500	12.00	x	-	2,500	11.00	x	-	1 ½

Length	Quantity	Wgt/M	Plain	Zinc	Quantity	Wgt/M	Plain	Zinc	Quantity	Wgt/M	Plain	Zinc	Quantity	Wgt/M	Plain	Zinc	Length
	1/4-20				5/16-18				3/8-16				1/2-13				
⅜	5,000	8.20	x	-	-	-	-	-	-	-	-	-	-	-	-	-	⅜
½	2,500	9.40	x	-	2,000	16.30	x	-	-	-	-	-	-	-	-	-	½
⅝	2,500	10.00	x	-	2,000	17.00	x	-	-	-	-	-	-	-	-	-	⅝
¾	2,500	11.50	x	-	1,600	20.00	x	-	1,000	30.00	x	-	500	48.00	x	-	¾
1	2,500	14.40	x	-	1,250	24.40	x	-	1,000	37.00	x	-	450	60.00	x	-	1
1 ¼	1,250	17.20	x	-	1,000	28.80	x	-	800	45.00	x	-	400	75.00	x	-	1 ¼
1 ½	1,250	20.70	x	-	1,000	33.70	x	-	700	45.46	x	-	350	87.00	x	-	1 ½
1 ¾	-	-	-	-	-	-	-	-	600	50.00	x	-	500	135.18	x	-	1 ¾
2	1,250	28.10	x	-	700	41.01	x	-	600	70.00	x	-	300	110.00	x	-	2
2 ¼	-	-	-	-	-	-	-	-	-	-	-	-	250	165.20	x	-	2 ¼
2 ½	-	-	-	-	500	51.41	x	-	500	73.70	x	-	250	145.00	x	-	2 ½
3	-	-	-	-	-	-	-	-	400	89.37	x	-	200	175.00	x	-	3



## Hex Socket Head Set Screws Heat Treated Alloy Steel

Length	Quantity	Wgt/M	Plain	Zinc	Length												
	6-32				8-32				10-24				10-32				
1/8	8,000	0.26	x	-	8,000	0.34	x	-	-	-	-	-	-	-	-	-	1/8
3/16	8,000	0.33	x	-	8,000	0.61	x	-	-	-	-	-	-	-	-	-	3/16
1/4	8,000	0.59	x	-	8,000	0.96	x	-	10,000	1.14	x	-	-	-	-	-	1/4
	-	-	-	-	-	-	-	-	10,000	1.44	x	-	-	-	-	-	5/16
3/8	8,000	0.95	x	-	8,000	1.12	x	-	8,000	1.86	x	-	-	-	-	-	3/8
1/2	8,000	1.31	x	-	8,000	1.94	x	-	8,000	2.50	x	-	8,000	2.50	x	-	1/2
5/8	-	-	-	-	8,000	2.42	x	-	8,000	3.17	x	-	8,000	3.17	x	-	5/8
3/4	-	-	-	-	-	-	-	-	8,000	3.84	x	-	8,000	3.84	x	-	3/4
1	-	-	-	-	-	-	-	-	8,000	5.51	x	-	7,000	5.51	x	-	1

Length	Quantity	Wgt/M	Plain	Zinc	Length												
	1/4-20				5/16-18				3/8-16				1/2-13				
1/4	8,000	1.55	x	-	-	-	-	-	-	-	-	-	-	-	-	-	1/4
5/16	-	-	-	-	8,000	3.32	x	-	-	-	-	-	-	-	-	-	5/16
3/8	8,000	2.83	x	-	8,000	4.19	x	-	4,000	6.00	x	-	-	-	-	-	3/8
1/2	8,000	4.09	x	-	6,000	6.20	x	-	4,000	8.34	x	-	-	-	-	-	1/2
5/8	8,000	5.25	x	-	5,000	8.09	x	-	4,000	12.14	x	-	-	-	-	-	5/8
3/4	6,000	6.41	x	-	4,000	10.23	x	-	3,000	13.34	x	-	1,500	28.00	x	-	3/4
1	4,000	9.47	x	-	3,000	14.29	x	-	2,500	17.86	x	-	1,000	39.00	x	-	1
1 1/4	-	-	-	-	-	-	-	-	-	-	-	-	700	54.01	x	-	1 1/4
1 1/2	-	-	-	-	-	-	-	-	-	-	-	-	550	72.75	x	-	1 1/2
2	-	-	-	-	-	-	-	-	-	-	-	-	500	81.57	x	-	2