


Finished Hex Nuts, UNC

Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	Zinc
1/4-20	7/16	7/32	6,000	7.40	x	x
5/16-18	1/2	17/64	4,000	11.00	x	x
3/8-16	9/16	21/64	3,000	16.00	x	x
7/16-14	1 1/16	3/8	1,600	28.40	x	x
7/16-14	3/8	3/8	2,000	25.00	x	x
1/2-13	3/4	7/16	1,200	37.50	x	x
9/16-12	7/8	31/64	800	58.30	x	x
5/8-11	1 3/16	35/64	600	73.30	x	x
3/4-10	1 1/8	41/64	400	119.00	x	x
7/8-9	1 3/16	3/4	250	190.00	x	x
1-8	1 1/2	55/64	160	283.00	x	x
1 1/8-7	1 11/16	31/32	120	403.00	x	x
1 1/4-7	1 7/8	1 1/16	80	543.00	x	x
1 1/2-6	2 1/4	1 9/32	50	943.00	x	x
1 3/4-5	2 5/8	1 1/2	30	1510.00	x	x
2-4 1/2	3	1 23/32	20	2240.00	x	x


(This product is also available in the "Hot Dipped Galvanized" section.)



Finished Hex Nuts, UNF


Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	Zinc
1/4-28	7/16	7/32	6,000	7.40	x	x
5/16-24	1/2	17/64	4,000	11.00	x	x
3/8-24	9/16	21/64	3,000	16.00	x	x
7/16-20	1 1/16	3/8	4,600	28.40	x	x
7/16-20	3/8	3/8	2,000	25.00	x	x
1/2-20	3/4	7/16	1,200	37.50	x	x
9/16-18	7/8	31/64	800	58.30	x	x
5/8-18	1 3/16	35/64	600	73.30	x	x
3/4-16	1 1/8	41/64	400	119.00	x	x
7/8-14	1 3/16	3/4	250	190.00	x	x
1-14	1 1/2	55/64	160	283.00	x	x
1 1/8-12	1 11/16	31/32	120	403.00	x	x
1 1/4-12	1 7/8	1 1/16	80	543.00	x	x

(This product is also available in the "Hot Dipped Galvanized" section.)




Grade 5 Finished Hex Nuts, UNC

Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	Zinc
1/4-20	7/16	7/32	6,000	7.40	x	x
5/16-18	1/2	17/64	4,000	11.00	x	x
3/8-16	9/16	21/64	3,000	16.00	x	x
7/16-14	11/16	3/8	1,600	28.40	-	x
1/2-13	3/4	7/16	1,200	37.50	x	x
5/8-11	15/16	35/64	600	73.30	x	x
3/4-10	1 1/8	41/64	400	119.00	x	x
7/8-9	1 5/16	3/4	250	190.00	x	x
1-8	1 1/2	55/64	160	283.00	x	x




Grade 5 Finished Hex Nuts, UNF

Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	Zinc
1/4-28	7/16	7/32	6,000	7.40	x	x
5/16-24	1/2	17/64	4,000	11.00	x	x
3/8-24	9/16	21/64	3,000	16.00	x	x
1/2-20	3/4	7/16	1,200	37.50	x	x
5/8-18	15/16	35/64	600	73.30	x	x
3/4-16	1 1/8	41/64	400	119.00	x	x
7/8-14	1 5/16	3/4	250	190.00	x	x
1-14	1 1/2	55/64	160	283.00	x	x




Grade 8 Finished Hex Nuts, UNC

Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	ZYD
1/4-20	7/16	7/32	6,000	7.40	x	x
5/16-18	1/2	17/64	4,000	11.00	x	x
3/8-16	9/16	21/64	3,000	16.00	x	x
7/16-14	11/16	3/8	1,600	28.40	x	x
1/2-13	3/4	7/16	1,200	37.50	x	x
9/16-12	7/8	31/64	800	58.30	x	-
5/8-11	15/16	35/64	600	73.30	x	x
3/4-10	1 1/8	41/64	400	119.00	x	x
7/8-9	1 5/16	3/4	250	190.00	x	x
1-8	1 1/2	55/64	160	283.00	x	x




Grade 8 Finished Hex Nuts, UNF

Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	ZYD
1/4-28	7/16	7/32	6,000	7.40	x	x
5/16-24	1/2	17/64	4,000	11.00	x	x
3/8-24	9/16	21/64	3,000	16.00	x	x
7/16-20	11/16	3/8	1,600	28.40	x	x
1/2-20	3/4	7/16	1,200	37.50	x	x
5/8-18	15/16	35/64	600	73.30	x	x
3/4-16	1 1/8	41/64	400	119.00	x	x
7/8-14	1 5/16	3/4	250	190.00	-	x




Finished Hex Jam Nuts, UNC

Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	Zinc
1/4-20	7/16	5/32	9,000	5.20	x	x
5/16-18	1/2	3/16	6,000	7.70	x	x
3/8-16	9/16	7/32	3,500	10.50	x	x
7/16-14	1 1/16	1/4	2,500	18.60	x	x
1/2-13	3/4	5/16	1,800	26.20	x	x
5/8-11	13/16	3/8	1,000	49.30	x	x
3/4-10	1 1/8	27/64	650	77.00	x	x
7/8-9	1 5/16	31/64	400	120.00	x	x
1-8	1 1/2	35/64	250	176.00	x	x
1 1/8-7	1 11/16	39/64	200	247.00	-	x
1 1/4-7	1 7/8	23/32	120	361.00	-	x
1 1/2-6	2 1/4	27/32	80	609.00	-	x



Finished Hex Jam Nuts, UNF


Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	Zinc
1/4-28	7/16	5/32	9,000	5.20	x	x
5/16-24	1/2	3/16	6,000	7.70	x	x
3/8-24	9/16	7/32	3,500	10.50	x	x
7/16-20	1 1/16	1/4	2,500	18.60	x	x
1/2-20	3/4	5/16	1,800	26.20	x	x
5/8-18	13/16	3/8	1,000	49.30	x	x
3/4-16	1 1/8	27/64	650	77.00	x	x
7/8-14	1 5/16	31/64	400	120.00	x	x
1-14	1 1/2	35/64	250	176.00	x	x



Heavy Hex Nuts, UNC

Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	Zinc
1/4-20	1/2	15/64	4,000	11.60	x	x
5/16-18	9/16	19/64	2,500	17.20	x	x
3/8-16	1 1/16	23/64	1,400	31.40	x	x
1/2-13	7/8	31/64	700	65.40	x	x
5/8-11	1 1/16	39/64	400	119.00	x	x
3/4-10	1 1/4	47/64	250	193.00	x	x
7/8-9	1 7/16	55/64	160	297.00	x	x
1-8	1 3/8	63/64	100	425.00	x	x
1 1/8-7	1 13/16	1 7/64	80	592.00	x	x
1 1/4-7	2	1 7/32	60	786.00	x	x
1 1/2-6	2 3/8	1 15/32	35	1310.00	x	x
1 3/4-5	2 3/4	1 23/32	30	2040.00	x	-
2-4 1/2	3 1/8	1 31/32	20	2990.00	x	-
2 1/4-4 1/2	3 1/2	2 13/64	15	4190.00	x	-
2 1/2-4	3 7/8	2 29/64	10	5640.00	x	-


(This product is also available in the "Hot Dipped Galvanized" section.)



ASTM A194 Grade 2H Heavy Hex Nuts


Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	Zinc
1/4-20	1/2	15/64	4,000	11.60	x	-
5/16-18	9/16	19/64	2,500	17.20	x	-
3/8-16	1 1/16	23/64	1,400	31.40	x	-
1/2-13	7/8	31/64	700	65.40	x	-
5/8-11	1 1/16	39/64	400	119.00	x	-
3/4-10	1 1/4	47/64	250	193.00	x	-
7/8-9	1 7/16	55/64	160	297.00	x	-
1-8	1 3/8	63/64	100	425.00	x	-
1 1/8-7	1 13/16	1 7/64	80	592.00	x	-
1 1/8-8	1 13/16	1 7/64	80	592.00	x	-
1 1/4-7	2	1 7/32	60	786.00	x	-
1 1/4-8	2	1 7/32	60	786.00	x	-
2 3/4-4	4 1/4	2 45/64	6	3355.00	x	-
2 3/4-8	3 7/8	2 29/64	6	3355.00	x	-
3-8	4 3/8	2 21/64	5	4318.00	x	-
3 1/4-4	5	3 3/16	4	5427.00	x	-
3 1/2-28	5 3/8	3 7/16	3	6936.00	x	-

(This product is also available in the "Hot Dipped Galvanized" section.)




Heavy Hex Jam Nuts

Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	Zinc
1/4-20	1/2	1 1/64	5,000	8.50	x	x
5/16-18	9/16	1 3/64	4,000	11.70	x	x
3/8-16	1 1/16	1 5/64	2,400	20.20	x	x
7/16-14	3/4	1 7/64	1,800	26.10	x	x
1/2-13	7/8	1 9/64	1,250	40.00	x	x
5/8-11	1 1/16	2 3/64	700	69.60	x	x
3/4-10	1 1/4	2 7/64	400	110.00	x	x
7/8-9	1 7/16	3 1/64	300	167.00	x	x
1-8	1 5/8	3 5/64	200	235.00	x	x
1 1/8-7	1 13/16	3 9/64	150	324.00	x	x
1 1/4-7	2	2 3/32	100	458.00	x	x
1 1/2-6	2 3/8	2 7/32	65	748.00	x	x




Nylon Insert Lock Nuts, UNC, Type NTM/NTE Thin Pattern

Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	Zinc
4-40	1/4	1/8	20,000	0.86	-	x
6-32	5/16	9/64	15,000	1.65	-	x
8-32	1 1/32	1 1/64	12,000	2.98	-	x
10-24	3/8	3/16	12,000	3.40	-	x
1/4-20	7/16	1 3/64	8,000	5.00	-	x
5/16-18	1/2	1/4	5,000	8.00	-	x
3/8-16	9/16	1 7/64	4,000	9.50	-	x
7/16-14	5/8	2 1/64	3,000	12.57	-	x
1/2-13	3/4	5/16	2,000	20.00	-	x
5/8-11	1 1/16	2 5/64	1,000	39.00	-	x
3/4-10	1 1/4	2 13/32	750	52.00	-	x




**Nylon Insert Lock Nuts, UNF, Type NTM/NTE
Thin Pattern**

Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	Zinc
10-32	$\frac{3}{8}$	$\frac{3}{16}$	12,000	3.40	-	x
1/4-28	$\frac{7}{16}$	$\frac{13}{64}$	8,000	5.00	-	x
5/16-24	$\frac{1}{2}$	$\frac{1}{4}$	5,000	8.00	-	x
3/8-24	$\frac{9}{16}$	$\frac{17}{64}$	4,000	9.50	-	x
1/2-20	$\frac{3}{4}$	$\frac{5}{16}$	2,000	20.00	-	x
5/8-18	$\frac{15}{16}$	$\frac{25}{64}$	1,000	39.00	-	x
3/4-16	1 $\frac{1}{16}$	$\frac{13}{32}$	750	52.00	-	x




**Nylon Insert Lock Nuts, UNC, Type NM/NE
Regular Pattern**

Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	Zinc
6-32	$\frac{5}{16}$	$\frac{11}{64}$	5,000	2.60	-	x
8-32	$\frac{11}{32}$	$\frac{15}{64}$	5,000	4.20	-	x
10-24	$\frac{3}{8}$	$\frac{15}{64}$	5,000	5.00	-	x
12-24	$\frac{7}{16}$	$\frac{5}{16}$	4,000	7.20	-	x
1/4-20	$\frac{7}{16}$	$\frac{5}{16}$	3,500	9.00	-	x
5/16-18	$\frac{1}{2}$	$\frac{11}{32}$	3,000	12.00	-	x
3/8-16	$\frac{9}{16}$	$\frac{29}{64}$	2,500	18.00	-	x
7/16-14	$\frac{5}{8}$	$\frac{29}{64}$	2,000	23.00	-	x
1/2-13	$\frac{3}{4}$	$\frac{19}{32}$	1,000	43.00	-	x
9/16-12	$\frac{7}{8}$	$\frac{41}{64}$	750	45.00	-	x
5/8-11	$\frac{15}{16}$	$\frac{3}{4}$	500	83.00	-	x
3/4-10	1 $\frac{1}{16}$	$\frac{7}{8}$	400	120.00	-	x
7/8-9	1 $\frac{1}{4}$	$\frac{63}{64}$	250	190.00	-	x
1-8	1 $\frac{7}{16}$	$\frac{13}{64}$	180	270.00	-	x




**Nylon Insert Lock Nuts, UNF, Type NM/NE
Regular Pattern**

Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	Zinc
10-32	3/8	15/64	8,000	5.00	-	x
1/4-28	7/16	5/16	3,500	9.00	-	x
5/16-24	1/2	11/32	3,000	12.00	-	x
3/8-24	9/16	29/64	2,000	18.00	-	x
7/16-20	5/8	29/64	2,000	23.00	-	x
1/2-20	3/4	19/32	1,000	43.00	-	x
9/16-18	7/8	41/64	600	45.00	-	x
5/8-18	1 1/16	3/4	500	83.00	-	x
3/4-16	1 1/16	7/8	350	120.00	-	x
7/8-14	1 1/4	63/64	250	190.00	-	x
1-14	1 7/16	13/64	180	270.00	-	x




**Nylon Insert Lock Nuts, UNC, Type NU
Heavy Pattern**

Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	Zinc
1/4-20	1/2	3/8	3,000	14.11	-	x
5/16-18	7/16	9/16	2,000	21.16	-	x
3/8-16	1 1/16	35/64	1,000	38.14	-	x
7/16-14	3/4	7/16	700	48.50	-	x
1/2-13	7/8	45/64	500	77.16	-	x
5/8-11	1 1/16	55/64	300	145.94	-	x
3/4-10	1 1/4	1	180	231.48	-	x
7/8-9	1 7/16	1 1/8	120	340.61	-	x




Grade C Nylon Insert Lock Nuts, UNC, Type NE

Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	ZYD
1/4-20	7/16	3/16	3,500	9.00	-	x
5/16-18	1/2	11/32	3,000	12.00	-	x
3/8-16	9/16	29/64	2,500	18.00	-	x
7/16-14	5/8	29/64	2,000	23.00	-	x
1/2-13	3/4	19/32	1,000	43.00	-	x
5/8-11	15/16	3/4	500	83.00	-	x
3/4-10	1 1/16	7/8	400	120.00	-	x
7/8-9	1 1/4	63/64	250	190.00	-	x
1-8	1 7/16	1 3/64	180	270.00	-	x




Grade C Nylon Insert Lock Nuts, UNF, Type NE

Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	ZYD
1/4-28	7/16	5/16	3,500	9.00	-	x
5/16-24	1/2	11/32	3,000	12.00	-	x
3/8-24	9/16	29/64	2,500	18.00	-	x
7/16-20	5/8	29/64	2,000	23.00	-	x
1/2-20	3/4	19/32	1,000	43.00	-	x
5/8-18	15/16	3/4	500	83.00	-	x
3/4-16	1 1/16	7/8	400	120.00	-	x
1-14	1 7/16	1 3/64	180	276.24	-	x




**Grade C Prevailing Torque Lock Nuts, UNC
Heat Treated, Zinc and Waxed**

Size	Across Flats	Thickness	Quantity	Wgt/M
1/4-20	7/16	7/32	7,000	6.50
5/16-18	1/2	17/64	5,000	9.60
3/8-16	9/16	21/64	3,000	15.00
7/16-14	11/16	3/8	1,800	25.50
1/2-13	3/4	7/16	1,400	35.00
9/16-12	7/8	31/64	900	51.00
5/8-11	13/16	35/64	700	70.00
3/4-10	1 1/8	41/64	400	105.00
7/8-9	1 3/16	3/4	300	168.00
1-8	1 1/2	55/64	180	256.00




**Grade C Prevailing Torque Lock Nuts, UNF
Heat Treated, Zinc and Waxed**

Size	Across Flats	Thickness	Quantity	Wgt/M
1/4-28	7/16	7/32	7,000	6.50
5/16-24	1/2	17/64	5,000	9.60
3/8-24	9/16	21/64	3,000	15.00
7/16-20	11/16	3/8	1,800	25.50
1/2-20	3/4	7/16	1,400	35.00
9/16-18	7/8	31/64	900	51.00
5/8-18	13/16	35/64	700	70.00
3/4-16	1 1/8	41/64	400	105.00
7/8-14	1 3/16	3/4	300	168.00
1-14	1 1/2	55/64	180	256.00




**2 Way Reversible Hex Lock Nuts, UNC
Waxed**

Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	Zinc
1/4-20	7/16	7/32	6,000	7.40	-	x
5/16-18	1/2	17/64	4,000	11.00	-	x
3/8-16	9/16	21/64	3,000	16.00	-	x
7/16-14	1 1/16	3/8	1,600	28.40	-	x
1/2-13	3/4	7/16	1,200	37.50	-	x
5/8-11	15/16	35/64	600	73.30	-	x
3/4-10	1 1/8	41/64	400	119.00	-	x




**2 Way Reversible Hex Lock Nuts, UNF
Waxed**

Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	Zinc
1/4-28	7/16	7/32	6,000	7.40	-	x
5/16-24	1/2	17/64	4,000	11.00	-	x
3/8-24	9/16	21/64	3,000	16.00	-	x
1/2-20	3/4	7/16	1,200	37.50	-	x
5/8-18	15/16	35/64	600	73.30	-	x
3/4-16	1 1/8	41/64	400	119.00	-	x




K Lock Nuts, UNC

Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	Zinc
4-40	1/4	3/32	15,000	1.30	-	x
6-32	5/16	7/64	15,000	2.40	-	x
8-32	11/32	1/8	10,000	3.20	-	x
10-24	3/8	1/8	10,000	3.70	-	x
1/4-20	7/16	3/16	5,000	6.70	-	x
5/16-18	1/2	17/64	3,000	12.00	-	x
3/8-16	9/16	21/64	2,000	17.60	-	x




K Lock Nuts, UNF

Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	Zinc
10-32	3/8	1/8	10,000	3.70	-	x
1/4-28	7/16	3/16	5,000	6.70	-	x
5/16-24	1/2	17/64	3,000	12.00	-	x
3/8-24	9/16	21/64	2,000	17.60	-	x




Hex Flange Nuts, Unhardened (No Serrations)

Size	Across Flats	Thickness	Flange Diameter	Quantity	Wgt/M	Plain	Zinc
1/4-20	7/16	15/64	19/32	5,000	8.93	-	x
5/16-18	1/2	9/32	43/64	3,000	12.79	-	x
3/8-16	9/16	11/32	3/4	2,000	18.08	-	x




Serrated Hex Flange Nuts, UNC, Unhardened

Size	Across Flats	Thickness	Flange Diameter	Quantity	Wgt/M	Plain	Zinc
1/4-20	7/16	15/64	19/32	4,000	9.00	-	x
5/16-18	1/2	9/32	43/64	2,000	12.30	-	x
3/8-16	9/16	11/32	3/4	1,500	17.80	-	x




Serrated Hex Flange Nuts, UNC, Case Hardened

Size	Across Flats	Thickness	Flange Diameter	Quantity	Wgt/M	Plain	Zinc
8-32	11/32	13/64	15/32	10,000	4.00	-	x
10-24	3/8	7/32	1/2	5,000	5.30	-	x
1/4-20	7/16	15/64	19/32	5,000	9.00	x	x
5/16-18	1/2	9/32	43/64	3,000	12.30	x	x
3/8-16	9/16	11/32	3/4	2,000	17.80	x	x
1/2-13	3/4	29/64	1 1/32	800	44.00	-	x
5/8-11	15/16	9/16	1 9/32	500	89.00	-	x
3/4-10	1 1/8	3/8	1 1/2	400	142.60	-	x




Serrated Hex Flange Nuts, UNF, Case Hardened

Size	Across Flats	Thickness	Flange Diameter	Quantity	Wgt/M	Plain	Zinc
10-32	3/8	7/32	1/2	5,000	5.30	-	x
1/4-28	7/16	15/64	19/32	5,000	9.00	-	x
5/16-24	1/2	9/32	43/64	3,000	12.30	-	x
3/8-24	9/16	11/32	3/4	2,000	17.80	-	x
1/2-20	3/4	29/64	1 1/32	800	44.00	-	x




Large Serrated Hex Flange Nuts, Case Hardened

Size	Across Flats	Thickness	Flange Diameter	Quantity	Wgt/M	Plain	Zinc
1/4-20	7/16	9/64	23/32	5,000	11.80	-	x
5/16-18	1/2	23/64	13/16	3,000	22.50	-	x
3/8-16	9/16	13/32	29/32	2,000	28.20	-	x




Hex Machine Screw Nuts

Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	Zinc
4-40	1/4	3/32	40,000	1.10	x	x
5-40	5/16	7/64	20,000	1.98	-	x
6-32	1/4	3/32	40,000	1.10	x	x
6-32 S	5/16	7/64	22,000	2.10	x	x
8-32	1/4	3/32	40,000	1.10	x	x
8-32	5/16	7/64	22,000	2.10	x	x
8-32 S	11/32	1/8	18,000	2.80	x	x
10-24	3/8	1/8	15,000	3.30	x	x
10-32	3/8	1/8	15,000	3.30	x	x
12-24	7/16	3/32	8,000	5.60	-	x
1/4-20	7/16	3/16	7,000	6.10	x	x
5/16-18	9/16	7/32	3,600	12.10	x	x
3/8-16	5/8	1/4	3,000	15.80	x	x



Square Machine Screw Nuts


Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	Zinc
5-40	5/16	7/64	20,000	1.98	-	x
6-32	5/16	7/64	18,000	2.60	x	x
8-32	11/32	1/8	13,000	3.40	x	x
10-24	3/8	1/8	11,000	4.00	x	x
10-32	3/8	1/8	11,000	4.00	x	x
1/4-20	7/16	3/16	6,000	7.30	x	x
5/16-18	9/16	7/32	3,000	14.90	x	x
3/8-16	5/8	1/4	2,200	20.20	x	x



Regular Square Nuts


Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	Zinc
1/4-20	7/16	7/32	5,000	8.9	x	x
5/16-18	9/16	17/64	2,500	18.1	x	x
3/8-16	3/8	21/64	1,800	26.3	x	x
1/2-13	13/16	7/16	800	57.8	x	x
5/8-11	1	35/64	450	108.0	x	x
3/4-10	1 1/8	21/32	300	154.0	x	x
7/8-9	1 5/16	49/64	200	245.0	x	x
1-8	1 1/2	7/8	130	363.0	x	x

(This product is also available in the "Hot Dipped Galvanized" section.)




Shoulder Nuts (Battery Nuts)

Size	Across Flats	Quantity	Wgt/M	Plain	Zinc
5/16-18	1/2	4,000	16.5	-	x




Slotted Finished Hex Nuts, UNC

Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	Zinc
1/2-13	3/4	7/16	1,500	30.93	-	x
5/8-11	1 1/16	3/8	800	60.71	-	x
3/4-10	1 1/8	4/16	400	96.52	-	x
7/8-9	1 5/16	3/4	250	149.91	-	x
1-8	1 1/2	5/8	180	224.87	-	x
1 1/8-7	1 11/16	3/4	120	330.58	-	x
2-4 1/2	3	1 23/32	20	2200.00	-	x



Slotted Finished Hex Nuts, UNF

Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	Zinc
7/16-20	1 1/16	3/8	1,500	23.66	-	x
9/16-18	7/8	3/16	800	49.60	-	x
1/2-20	3/4	7/16	1,500	31.60	x	-
5/8-18	1 1/16	3/8	800	60.70	x	-
3/4-16	1 1/8	4/16	400	103.00	x	-
7/8-14	1 15/16	3/4	250	171.00	x	-
1-14	1 1/2	5/8	180	250.00	x	-
1 1/8-12	1 11/16	3/4	120	330.58	x	-
1 1/4-12	1 7/8	1 1/16	100	475.00	x	-
2-12	3	1 23/32	20	2200.00	x	-



Hex Coupling Nuts Double Chamfered

Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	Zinc
10-24	$\frac{5}{16}$	$\frac{3}{4}$	4,000	7.00	-	x
1/4-20	$\frac{3}{8}$	$\frac{7}{8}$	2,000	21.00	-	x
5/16-18	$\frac{7}{16}$	$\frac{7}{8}$	900	23.00	-	x
5/16-18	$\frac{1}{2}$	1 $\frac{1}{8}$	900	50.00	-	x
3/8-16	$\frac{1}{2}$	1 $\frac{1}{8}$	1,200	36.30	-	x
3/8-16	$\frac{3}{8}$	1 $\frac{3}{4}$	400	117.00	-	x
7/16-14	$\frac{3}{8}$	1 $\frac{3}{4}$	500	95.70	-	x
1/2-13	$\frac{3}{8}$	1 $\frac{1}{4}$	800	55.50	-	x
1/2-13	1 $\frac{1}{16}$	1 $\frac{3}{4}$	400	119.00	-	x
5/8-11	1 $\frac{3}{16}$	2 $\frac{1}{8}$	250	194.00	-	x
3/4-10	1	2 $\frac{1}{4}$	150	311.00	-	x
7/8-9	1 $\frac{1}{4}$	2 $\frac{1}{2}$	80	575.00	-	x
1-8	1 $\frac{1}{4}$	2 $\frac{1}{2}$	100	350.00	-	x
1-8	1 $\frac{3}{8}$	2 $\frac{3}{4}$	60	726.00	-	x




Cold Forged Wing Nuts

Size	Blank	Wing Spread	Quantity	Wgt/M	Plain	Zinc
6-32	AA	$2\frac{1}{32}$	5,000	7.72	-	x
8-32	A	$2\frac{7}{32}$	6,000	7.60	-	x
10-24	A	$2\frac{7}{32}$	6,000	7.50	-	x
10-32	A	$2\frac{7}{32}$	6,000	7.50	-	x
1/4-20	B	$1\frac{1}{16}$	3,500	13.00	x	x
5/16-18	C	$1\frac{7}{32}$	2,000	23.00	x	x
3/8-16	D	$1\frac{13}{32}$	1,200	37.00	x	x
7/16-14	E	2	500	79.52	x	x
1/2-13	E	$1\frac{7}{8}$	500	88.00	-	x




Stamped Wing Nuts

Size	Blank	Wing Spread	Quantity	Wgt/M	Plain	Zinc
6-32	AA	$\frac{3}{4}$	10,000	3.75	-	x
8-32	AA	$\frac{3}{4}$	6,000	3.40	-	x
10-24	A	$\frac{7}{8}$	6,000	4.10	x	x
10-32	A	$\frac{7}{8}$	6,000	4.20	-	x
1/4-20	B	$1\frac{1}{18}$	3,500	7.70	x	x
5/16-18	C	$1\frac{1}{4}$	2,000	12.60	-	x
3/8-16	D	$1\frac{3}{8}$	1,200	16.00	-	x




Toggle Wing Nuts

Size	Thread	Wing Spread	Quantity	Wgt/M	Plain	Zinc
1/8	6-32	1 7/16 - 1 3/4	5,000	6.60	-	x
5/32	8-32	1 5/8 - 2	3,000	15.40	-	x
3/16	10-24	1 7/8 - 2 1/4	2,000	15.30	-	x
1/4	1/4-20	2 1/16 - 2 1/2	1,200	25.10	-	x
5/16	5/16-18	2 3/4 - 3 1/8	800	39.60	-	x
3/8	3/8-16	2 7/8 - 3 1/4	500	55.00	-	x




Acorn Cap Nuts

Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	Nickel
6-32	5/16	9/32	15,000	2.42	-	x
8-32	5/16	1/4	10,000	3.80	-	x
10-24	3/8	5/16	6,500	6.70	-	x
10-32	3/8	5/16	6,500	6.70	-	x
1/4-20	7/16	3/8	6,000	9.20	x	x
5/16-18	7/16	7/16	3,000	18.00	x	x
3/8-16	5/8	1/2	2,500	23.40	x	x
1/2-13	3/4	9/16	1,000	37.00	-	x




Hex Panel Nuts

Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	Zinc
1/8 - 27	1/16	1/8	8,000	4.74	-	x
1/8-27	1/16	3/16	5,000	7.05	-	x
3/8-32	1/16	3/32	10,000	2.91	-	x
3/8-32	1/2	3/32	10,000	3.97	-	x
15/32-32	1/16	3/32	10,000	2.43	-	x




Right Hand Wheel Nuts

Size	Across Flats	Thickness	Quantity	Wgt/M	Plain	Zinc
7/16-20	3/4	1/16	1000	47.00	-	x
1/2-20	3/4	1/16	1,000	43.00	-	x
1/2-20	13/16	5/8	800	60.00	-	x



Nylon License Plate Retainer Nuts

Size	Across Flat	Thickness	Quantity	Wgt/M
1/4	5/8	27/64	10,000	2.40



Tee Nuts 3 & 4 Prongs

Size	Barrel Height	# Prongs	Quantity	Wgt/M	Plain	Zinc
6-32	1/4	3	8,000	4.50	-	x
8-32	1/4	3	10,000	6.90	-	x
10-24	5/16	3	7,000	7.10	-	x
10-32	5/16	3	7,000	7.10	-	x
1/4-20	5/16	3	5,000	7.40	-	x
1/4-20	7/16	3	4,000	8.10	-	x
5/16-18	3/8	3	3,000	11.40	-	x
5/16-18	3/8	3	2,500	18.20	-	x
5/16-18	3/4	4	3,000	11.40	-	x
3/8-16	7/16	4	2,000	18.20	-	x