



**Slotted Pan Type A Sheet Metal Screws
Case Hardened, Zinc Plated**

Length	Quantity	Wgt/M	Length								
	6-18		8-15		10-12		12-11		14-10		
3/8	-	-	20,000	2.80	-	-	-	-	-	-	3/8
1/2	28,000	2.20	18,000	3.30	12,000	4.8	10,000	6.60	-	-	1/2
5/8	-	-	16,000	3.80	11,000	5.4	-	-	-	-	5/8
3/4	20,000	2.90	14,000	4.20	10,000	5.9	7,000	8.10	6,000	9.40	3/4
1	15,000	3.60	10,000	5.20	8,000	7.1	6,000	9.70	4,500	11.50	1
1 1/4	-	-	8,000	6.20	6,000	8.3	4,500	11.50	-	-	1 1/4
1 1/2	-	-	6,000	7.20	5,000	9.5	3,500	13.20	3,000	18.10	1 1/2
1 3/4	-	-	-	-	-	-	-	-	2,500	20.40	1 3/4
2	-	-	4,000	9.00	3,000	11.9	-	-	2,000	22.50	2
2 1/2	-	-	3,000	10.00	-	-	-	-	1,500	26.90	2 1/2
3	-	-	-	-	-	-	-	-	1,000	31.30	3




**Slotted Truss Type A Sheet Metal Screws
Case Hardened, Zinc Plated**

Length	Quantity	Wgt/M
	14-10	
3/4	6,000	12.1



**Combo (Phillips - Slotted) Pan Type A Sheet Metal Screws
Case Hardened, Zinc Plated**


Length	Quantity	Wgt/M	Length										
	4-24		6-18		8-15		10-12		12-11		14-10		
¼	5,000	0.88	-	-	-	-	-	-	-	-	-	-	¼
⅜	-	-	32,000	1.90	-	-	10,000	4.08	-	-	-	-	⅜
½	30,000	1.39	28,000	2.20	18,000	3.30	12,000	4.80	6,000	7.05	-	-	½
⅝	-	-	24,000	2.50	16,000	3.80	11,000	5.40	5,000	7.94	-	-	⅝
¾	20,000	1.87	20,000	2.90	14,000	4.20	10,000	5.90	7,000	8.10	6,000	11.50	¾
1	17,000	2.00	15,000	3.60	10,000	5.20	8,000	7.10	6,000	9.70	4,500	13.70	1
1 ¼	-	-	10,000	4.30	8,000	6.20	6,000	8.30	4,500	11.50	3,500	15.90	1 ¼
1 ½	-	-	8,000	5.00	6,000	7.20	5,000	9.50	3,500	13.20	3,000	18.10	1 ½
1 ¾	-	-	-	-	4,500	8.02	-	-	-	-	-	-	1 ¾
2	-	-	5,000	6.40	4,000	9.00	3,000	11.90	2,500	16.40	2,000	22.50	2
2 ½	-	-	-	-	3,000	11.00	2,500	14.30	2,000	19.80	1,500	26.90	2 ½
3	-	-	-	-	2,000	12.90	1,800	16.70	1,500	23.00	1,000	31.30	3



**Phillips Pan Type A & AB Sheet Metal Screws
Case Hardened, Zinc Plated**


Length	Quantity	Wgt/M	A	AB	Quantity	Wgt/M	A	AB	Quantity	Wgt/M	A	AB	Length
	4-24				6-18 or 6-20				8-15 or 8-18				
¼	30,000	1.00	-	x	40,000	1.40	-	x	20,000	2.25	-	x	¼
⅜	30,000	1.20	-	x	32,000	1.90	x	x	20,000	2.80	x	x	⅜
½	25,000	1.40	-	x	28,000	2.20	x	x	18,000	3.30	x	x	½
⅝	25,000	1.50	-	x	24,000	2.50	x	x	16,000	3.80	x	x	⅝
¾	20,000	1.80	-	x	20,000	2.90	x	x	14,000	4.20	x	x	¾
⅞	-	-	-	-	20,000	3.20	-	x	12,000	4.70	x	x	⅞
1	17,000	2.31	-	x	15,000	3.60	x	x	10,000	5.20	x	x	1
1 ¼	-	-	-	-	10,000	4.30	x	x	8,000	6.20	x	x	1 ¼
1 ½	-	-	-	-	8,000	5.00	x	x	6,000	7.20	x	x	1 ½
1 ¾	-	-	-	-	-	-	-	-	5,000	8.10	x	x	1 ¾
2	-	-	-	-	5,500	6.13	x	-	4,000	9.00	x	x	2
2 ½	-	-	-	-	-	-	-	-	3,000	11.00	x	x	2 ½
3	-	-	-	-	-	-	-	-	2,000	12.90	x	x	3
3 ½	-	-	-	-	-	-	-	-	3,000	14.50	x	-	3 ½
4	-	-	-	-	-	-	-	-	2,500	16.30	x	-	4

Length	Quantity	Wgt/M	A	AB	Quantity	Wgt/M	A	AB	Quantity	Wgt/M	A	AB	Length
	10-12 or 10-16				12-11 or 12-14				14-10 or 1/4-14				
⅜	14,000	4.30	-	x	-	-	-	-	-	-	-	-	⅜
½	12,000	4.80	x	x	6,000	7.05	-	x	6,000	9.40	-	x	½
⅝	11,000	5.40	x	x	5,000	7.94	-	x	6,000	10.40	-	x	⅝
¾	10,000	5.90	x	x	7,000	8.10	x	x	5,500	11.50	x	x	¾
⅞	9,000	6.50	x	x	-	-	-	-	-	-	-	-	⅞
1	8,000	7.10	x	x	6,000	9.70	x	x	4,500	13.70	x	x	1
1 ¼	6,000	8.30	x	x	4,500	11.50	x	x	3,500	15.90	x	x	1 ¼
1 ½	5,000	9.50	x	x	3,500	13.20	x	x	3,000	18.10	x	x	1 ½
1 ¾	4,000	10.70	x	x	2,500	14.55	x	-	2,500	20.60	-	x	1 ¾
2	3,000	11.90	x	x	2,500	16.40	x	x	2,000	22.50	x	x	2
2 ½	2,500	14.30	x	x	2,000	19.80	x	x	1,500	26.90	x	x	2 ½
3	1,800	16.70	x	x	1,500	23.00	x	x	1,000	31.30	x	x	3
3 ½	2,200	10.00	x	-	-	-	-	-	-	-	-	-	3 ½
4	2,000	21.60	x	-	-	-	-	-	-	-	-	-	4



**Phillips Pan Type B Sheet Metal Screws
Case Hardened, Zinc Plated**


Length	Quantity	Wgt/M	Length								
	4-24		6-20		8-18		10-16		1/4-14		
3/16	-	-	25,000	1.40	-	-	-	-	-	-	3/16
1/4	30,000	0.88	25,000	1.70	13,000	2.40	-	-	-	-	1/4
5/16	-	-	22,000	1.90	-	-	-	-	-	-	5/16
3/8	30,000	1.20	20,000	2.00	12,000	2.80	8,000	4.30	-	-	3/8
1/2	25,000	1.40	17,000	2.20	10,000	3.30	7,000	4.80	3,500	9.40	1/2
5/8	-	-	15,000	2.50	9,000	3.80	6,000	5.40	3,000	10.50	5/8
3/4	-	-	13,000	2.90	8,000	4.20	5,000	5.90	2,500	11.50	3/4
1	-	-	-	-	6,500	5.20	4,500	7.10	2,000	13.70	1



**Phillips Flat Type A & AB Sheet Metal Screws
Case Hardened, Zinc Plated**


Length	Quantity	Wgt/M	A	AB	Quantity	Wgt/M	A	AB	Quantity	Wgt/M	A	AB	Length
	4-24				6-18 or 6-20				8-15 or 8-18				
¼	50,000	0.62	-	x	-	-	-	-	-	-	-	-	¼
⅜	45,000	0.77	-	x	-	-	-	-	20,000	2.25	-	x	⅜
½	40,000	1.06	-	x	30,000	2.00	x	x	20,000	3.00	x	x	½
⅝	30,000	1.28	-	x	25,000	2.30	x	x	16,000	3.40	x	x	⅝
¾	25,000	1.52	-	x	20,000	2.60	x	x	14,000	3.80	x	x	¾
1	20,000	1.96	-	x	15,000	3.20	x	x	10,000	4.70	x	x	1
1 ¼	-	-	-	-	10,000	4.00	x	x	8,000	5.60	x	x	1 ¼
1 ½	-	-	-	-	8,000	4.70	x	x	6,000	6.50	x	-	1 ½
1 ¾	-	-	-	-	-	-	-	-	5,000	7.30	x	-	1 ¾
2	-	-	-	-	-	-	-	-	4,000	8.10	x	-	2
2 ½	-	-	-	-	6,000	5.67	x	-	3,000	10.70	x	-	2 ½
3	-	-	-	-	-	-	-	-	2,000	12.50	x	-	3

Length	Quantity	Wgt/M	A	AB	Quantity	Wgt/M	A	AB	Quantity	Wgt/M	A	AB	Length
	10-12 or 10-16				12-11 or 12-14				14-10 or 1¼-14				
⅜	-	-	-	-	-	-	-	-	-	-	-	-	⅜
½	12,000	3.20	-	x	-	-	-	-	-	-	-	-	½
⅝	11,000	4.90	x	x	-	-	-	-	-	-	-	-	⅝
¾	10,000	5.30	x	x	6,000	6.33	-	x	5,000	8.70	-	x	¾
1	8,000	6.40	x	x	5,000	8.05	-	x	4,500	12.40	x	-	1
1 ¼	6,000	7.50	x	x	3,500	10.05	-	x	3,000	14.70	x	-	1 ¼
1 ½	5,000	8.60	x	x	3,000	11.97	-	x	3,000	17.00	x	-	1 ½
1 ¾	4,000	9.60	x	-	3,000	12.68	x	-	2,000	17.99	x	-	1 ¾
2	3,000	11.00	x	x	2,500	15.19	-	x	2,000	21.00	x	-	2
2 ½	2,500	13.20	x	-	2,000	18.54	-	x	1,500	26.10	x	-	2 ½
3	1,800	15.40	x	-	-	-	-	-	1,000	30.40	x	-	3
3 ½	-	-	-	-	1,500	24.69	x	-	1,100	33.20	x	-	3 ½
4	-	-	-	-	1,000	28.22	x	-	1,000	38.12	x	-	4



**Phillips Truss Type A & AB Sheet Metal Screws
Case Hardened, Zinc Plated**


Length	Quantity	Wgt/M	A	AB	Quantity	Wgt/M	A	AB	Quantity	Wgt/M	A	AB	Quantity	Wgt/M	A	AB	Length
	6-18				8-15 or 8-18				10-12 or 10-16				1/4-14				
3/8	30,000	1.90	x	x	20,000	3.00	x	x	-	-	-	-	-	-	-	-	3/8
1/2	25,000	2.30	x	x	17,000	3.50	x	x	12,000	5.00	-	x	-	-	-	-	1/2
5/8	23,000	2.50	x	x	15,000	4.00	x	x	10,000	5.40	x	-	-	-	-	-	5/8
3/4	20,000	2.90	x	x	13,000	4.40	x	x	9,000	6.20	x	x	4,000	12.00	-	x	3/4
1	15,000	3.80	x	x	10,000	5.50	x	x	8,000	7.10	x	x	3,000	14.30	-	x	1
1 1/4	-	-	-	-	8,000	6.60	x	-	5,000	8.70	x	-	-	-	-	-	1 1/4
1 1/2	-	-	-	-	6,000	7.60	x	-	4,500	10.00	x	-	-	-	-	-	1 1/2



**Phillips Oval Type AB Sheet Metal Screws
Case Hardened, Zinc Plated**


Length	Quantity	Wgt/M	Plain	Zinc	Quantity	Wgt/M	Plain	Zinc	Length
	6-20				8-18				
1/2	-	-	-	-	18,000	3.30	x	x	1/2
3/8	9,000	4.81	-	x	11,000	5.20	x	x	3/8
3/4	18,000	2.90	x	x	15,000	4.20	x	x	3/4
1	14,000	3.60	x	x	8,000	6.20	x	x	1
1 1/4	10,000	4.30	-	x	6,000	7.20	x	x	1 1/4
1 1/2	8,000	5.00	-	x	5,000	9.00	x	x	1 1/2
1 3/4	3,500	10.91	-	x	4,500	7.80	x	x	1 3/4
2	3,000	11.90	-	x	4,000	8.55	x	x	2

Length	Quantity	Wgt/M	Plain	Zinc	Quantity	Wgt/M	Plain	Zinc	Quantity	Wgt/M	Plain	Zinc	Length
	10-15				12-14				14-14				
3/8	9,000	4.81	x	x	-	-	-	-	-	-	-	-	3/8
3/4	12,000	5.90	x	x	5,000	7.72	x	x	-	-	-	-	3/4
1	6,000	8.30	x	x	4,500	9.44	x	x	3,500	12.30	x	x	1
1 1/4	4,500	9.50	x	x	3,500	11.44	x	x	-	-	-	-	1 1/4
1 1/2	3,500	11.30	x	x	2,500	13.16	x	x	-	-	-	-	1 1/2
1 3/4	3,500	10.91	x	x	-	-	-	-	-	-	-	-	1 3/4
2	3,000	11.90	x	x	2,000	16.34	x	x	-	-	-	-	2




**Phillips Oval (Trim Head) Type AB Sheet Metal Screws
Case Hardened, Plain**

Length	Quantity	Wgt/M	Quantity	Wgt/M	Length
	8-18		10-16		
5/8	14,000	3.60	-	-	5/8
3/4	12,000	4.00	9,000	5.70	3/4
1	10,000	5.00	7,000	6.90	1
1 1/4	9,000	6.00	-	-	1 1/4
1 1/2	7,000	7.00	-	-	1 1/2




**Unslotted Indented Hex Type A Sheet Metal Screws
Case Hardened, Zinc Plated**

Length	Quantity	Wgt/M	Quantity	Wgt/M	Quantity	Wgt/M	Length
	14-10 7/16" Across Flats		5/16-9 1/2" Across Flats		3/8-7 5/16" Across Flats		
3/4	4,000	12.70	2,500	21.00	-	-	3/4
1	3,000	15.00	2,200	24.50	1,500	36.00	1
1 1/4	2,500	17.30	2,000	26.40	1,300	42.00	1 1/4
1 1/2	2,000	19.90	1,500	30.00	1,000	46.00	1 1/2



**Unslotted Indented Hex Washer Type AB Sheet Metal Screws
Case Hardened, Zinc Plated**

Length	Quantity	Wgt/M	Length										
	6-20		8-18		10-16		12-14		1/4-14		3/8-12		
3/8	25,000	2.10	20,000	3.10	12,000	4.80	-	-	-	-	-	-	3/8
1/2	20,000	2.40	16,000	3.60	10,000	5.30	8,000	7.30	-	-	-	-	1/2
5/8	18,000	2.80	14,000	4.20	9,000	5.90	7,000	8.00	3,000	13.67	-	-	5/8
3/4	15,000	3.20	12,000	4.60	8,000	6.50	6,000	8.90	4,000	12.70	-	-	3/4
1	-	-	10,000	5.70	6,000	7.80	5,000	10.70	3,000	15.10	1,000	35.27	1
1 1/4	-	-	8,000	6.80	5,500	9.10	4,000	12.70	2,500	17.50	-	-	1 1/4
1 1/2	-	-	6,000	8.00	5,000	10.50	3,000	14.50	2,000	19.90	-	-	1 1/2
2	-	-	4,000	9.90	3,000	13.00	2,000	16.45	1,500	24.80	-	-	2



Slotted Indented Hex Washer Type A & AB Sheet Metal Screws Case Hardened, Zinc Plated

Length	Quantity	Wgt/M	A	AB	Quantity	Wgt/M	A	AB	Quantity	Wgt/M	A	AB	Length
	6-18 or 6-20				7-19				8-15 or 8-18				
3/8	20,000	2.34	-	x	-	-	-	-	20,000	3.10	x	x	3/8
1/2	18,000	2.71	-	x	20,000	3.10	x	-	16,000	3.60	x	x	1/2
5/8	13,000	3.09	-	x	-	-	-	-	14,000	4.20	x	x	5/8
3/4	12,000	3.28	-	x	-	-	-	-	12,000	4.60	x	x	3/4
1	10,000	3.80	x	x	-	-	-	-	10,000	5.70	x	x	1
1 1/4	8,000	4.70	x	x	-	-	-	-	8,000	6.80	x	x	1 1/4
1 1/2	6,000	5.50	x	x	-	-	-	-	6,000	8.00	x	x	1 1/2
2	-	-	-	-	-	-	-	-	4,000	9.90	x	x	2
2 1/2	-	-	-	-	-	-	-	-	2,400	11.30	x	-	2 1/2
3	-	-	-	-	-	-	-	-	1,800	13.40	x	-	3

Length	Quantity	Wgt/M	A	AB	Quantity	Wgt/M	A	AB	Quantity	Wgt/M	A	AB	Length
	10-15 or 10-16				12-14				1/4-10 or 1/4-14				
3/8	12,000	4.80	-	x	-	-	-	-	-	-	-	-	3/8
1/2	10,000	5.30	x	x	8,000	7.30	-	x	5,000	10.30	-	x	1/2
5/8	9,000	5.90	x	x	-	-	-	-	4,000	11.50	-	x	5/8
3/4	8,000	6.50	x	x	6,000	8.90	-	x	4,000	12.70	x	x	3/4
1	6,000	7.80	x	x	5,000	10.70	-	x	3,000	15.10	x	x	1
1 1/4	5,500	9.10	x	x	4,000	12.70	-	x	2,500	17.50	x	x	1 1/4
1 1/2	5,000	10.50	x	x	3,000	14.50	-	x	2,000	19.90	x	x	1 1/2
1 3/4	1,500	21.50	x	x	-	-	-	-	-	-	-	-	1 3/4
2	3,000	13.00	x	x	2,500	18.00	-	x	1,500	24.80	x	x	2
2 1/2	2,000	-	x	-	2,000	21.80	-	x	1,500	29.60	x	x	2 1/2
3	1,500	17.00	x	-	1,800	25.30	-	x	1,300	34.40	x	x	3